ELSEVIER

Thermochimica Acta 260 (1995) 247

thermochimica acta

Author index

Aoulmi, A. 87
Arce, A. 105

Bergman, H. 201
Blanco, M. 105
Bouroukba, M. 87
Branda, F. 187
Budrugeac, P. 75

Camino, G. 217
Chang-Wei, L. 137
Chen, L.Y. 115
Comelli, F. 95
Costa, L. 217
Costantini, A. 187

de Lucca Neto, V.A. 235
De Smet, F. 165
Demirel, Y. 51
Devillers, M. 165
Ding-Kun, S. 137
Durupt, N. 87

Ekvall, K. 201
Elégant, L. 147
Erşoy-Meriçboyu, A. 45

Fitzner, K. 29
Francesconi, R. 95

Girault, Y. 147

Hamad, E.Z. 51
Hatem, G. 17

Ionashiro, M. 235

Küçükbayrak, S. 45

Langlet, A. 201
Levchik, S.V. 217
Li, D.M. 115
Li, X.S. 115
Luda, M.P. 217

Martinez-Ageitos, J. 105
Mauro, A.E. 235
Miao, Y.F. 115
Mikos-Nawłatyna, E. 229

Onderka, B. 29
Östmark, H. 201

Rogalski, M. 87
Rongzu, H. 243
Rychłowska-Himmel, I. 229

Sargentelli, V. 235
Sbirrazzuoli, N. 147
Schawe, J.E.K. 1
Segal, E. 75
Shi-Gui, Z. 137

Tirions, O. 165
Tomasi, A. 187
Tong-Geng, X. 137

Vidal, I. 105

Walczak, J. 229
Wen-Sheng, L. 137
Wypartowicz, J. 29

Xie, C.Y. 115
Xijun, C. 243
Xin, Q. 115
Xing-Ming, D. 137
Xue-Hua, Y. 137

Yun-Xian, C. 137

Zhibin, L. 243
Zhong, Q. 125

ELSEVIER

Thermochimica Acta 260 (1995) 249–252

thermochimica acta

Subject index

Acetates
Bismuth and mixed bismuth–lanthanide carboxylates as precursors for pure and Ln-promoted bismuth molybdate catalysts 165
Activation energy
Non-isothermal kinetics of reactions whose activation energy depends on the degree of conversion 75
Alkanol–alkane mixtures
Excess enthalpy surfaces for alkanol–alkane mixtures by the UNIQUAC model 51

Binary mixtures
Excess molar enthalpies of binary mixtures containing dimethylcarbonate, diethylcarbonate or propylene carbonate + three chloroalkenes at 298.15 K 95
Binary system
Analysis of the relationship between ternary mixtures and their binary subsystems as represented by the UNIQUAC and NRTL models 105
Diagram of phase equilibria in the $Fe_2V_4O_{13}$–WO_3 system 229
Bismuth
Bismuth and mixed bismuth–lanthanide carboxylates as precursors for pure and Ln-promoted bismuth molybdate catalysts 165

Calcium carbonate
Direct sulfation reaction of SO_2 with calcium carbonate 125
Carbonic acid esters
Excess molar enthalpies of binary mixtures containing dimethylcarbonate, diethylcarbonate or propylene carbonate + three chloroalkenes at 298.15 K 95
Charring
Thermal decomposition of 4,4′-diaminodiphenylsulphone 217
Composition fluctuations
Excess enthalpy surfaces for alkanol–alkane mixtures by the UNIQUAC model 51
Copper
Thermal decomposition and stability in a series of tetrafluorborate copper(I) complexes 235
Crystallization kinetics
Investigation of the crystallization kinetics of cyclotetramethylenetetranitramine from nitric acid by microcalorimetry 243

Devitrification
The effect of changing the TiO_2 content (0–6%) on the structure and thermal evolution of glasses obtained from porphyric sands and dolomite 187
Differential scanning calorimetry
Simulations for evaluation of kinetic methods in differential scanning calorimetry. Part 1. Application to single-peak methods: Freeman–Carroll, Ellerstein, Achar–Brindley–Sharp and multiple linear regression methods 147
Dimethyl sulphoxide (DMSO)
Experimental studies on the transition from xerogels to glasses for the system SiO_2–PbO–B_2O_3 with added DMSO using the thermal-mass spectroscopy coupling technique 137
Direct sulfation
Direct sulfation reaction of SO_2 with calcium carbonate 125
Dislocation theory
Investigation of the crystallization kinetics of cyclotetramethylenetetranitramine from nitric acid by microcalorimetry 243
Dolomite
The isothermal sulphation reactions of natural sorbents 45
DTA
Diagram of phase equilibria in the $Fe_2V_4O_{13}$–WO_3 system 229
Oxygen potential and phase equilibria in the Te–Sb_2O_3–Sb_2O_4 pseudoternary part of the Sb–Te–O system at elevated temperatures 29

Electrochemistry
Oxygen potential and phase equilibria in the $Te–Sb_2O_3–Sb_2O_4$ pseudoternary part of the Sb–Te–O system at elevated temperatures 29
Electrolyte
Oxygen potential and phase equilibria in the $Te–Sb_2O_3–Sb_2O_4$ pseudoternary part of the Sb–Te–O system at elevated temperatures 29
Epoxy hardener
Thermal decomposition of 4,4′-diaminodiphenylsulphone 217
Excess ehtnalpy
Excess enthalpy surfaces for alkanol–alkane mixtures by the UNIQUAC model 51
Excess molar enthalpies of binary mixtures containing dimethylcarbonate, diethylcarbonate or propylene carbonate + three chloroalkenes at 298.15 K 95

Formates
Bismuth and mixed bismuth–lanthanide carboxylates as precursors for pure and Ln-promoted bismuth molybdate catalysts 165
Fused-ring aromatics
Heat capacities of liquid polycyclic aromatic hydrocarbons 87

Glass
Calculation of phase diagrams for the binary systems $BaF_2–KF$ and $KF–ZrF_4$ and the ternary system $BaF_2–KF–ZrF_4$ 17
Glass transition
A comparison of different evaluation methods in modulated temperature DSC 1
Group contributions
Heat capacities of liquid polycyclic aromatic hydrocarbons 87

Heat capacity
A comparison of different evaluation methods in modulated temperature DSC 1
Heat capacities of liquid polycyclic aromatic hydrocarbons 87
Heat of mixing
Calculation of phase diagrams for the binary systems $BaF_2–KF$ and $KF–ZrF_4$ and the ternary system $BaF_2–KF–ZrF_4$ 17
High explosives
A study of the sensitivity and decomposition of 1,3,5-trinitro-2-oxo-1,3,5-triazacyclo-hexane 201
HMX
Investigation of the crystallization kinetics of cyclotetramethylenetetranitramine from nitric acid by microcalorimetry 243

Ignition
A study of the sensitivity and decomposition of 1,3,5-trinitro-2-oxo-1,3,5-triazacyclohexane 201
Infrared spectroscopy
Thermal decomposition and stability in a series of tetrafluorborate copper(I) complexes 235
Iron tungstate (Fe_2WO_6)
Diagram of phase equilibria in the $Fe_2V_4O_{13}–WO_3$ system 229
Iron vanadate ($FeVO_4$)
Diagram of phase equilibria in the $Fe_2V_4O_{13}–WO_3$ system 229

K-6 decomposition
A study of the sensitivity and decomposition of 1,3,5-trinitro-2-oxo-1,3,5-triazacyclohexane 201
Keto-RDX
A study of the sensitivity and decomposition of 1,3,5-trinitro-2-oxo-1,3,5-triazacyclohexane 201
Kinetics
Simulations for evaluation of kinetic methods in differential scanning calorimetry. Part 1. Application to single-peak methods: Freeman–Carroll, Ellerstein, Achar–Brindley–Sharp and multiple linear regression methods 147
Kirkwood–Buff theory
Excess enthalpy surfaces for alkanol–alkane mixtures by the UNIQUAC model 51

Lanthanides
Bismuth and mixed bismuth–lanthanide carboxylates as precursors for pure and Ln-promoted bismuth molybdate catalysts 165
Laser
A study of the sensitivity and decomposition of 1,3,5-trinitro-2-oxo-1,3,5-triazacyclohexane 201
Limestone
The isothermal sulphation reactions of natural sorbents 45

Mass spectroscopy
A study of the sensitivity and decomposition of 1,3,5-trinitro-2-oxo-1,3,5-triazacyclohexane 201
Microcalorimetry
Investigation of the crystallization kinetics of cyclotetramethylenetetranitramine from nitric acid by microcalorimetry 243

Model
Direct sulfation reaction of SO_2 with calcium carbonate 125
Modulated DSC
A comparison of different evaluation methods in modulated temperature DSC 1
Molybdates
Bismuth and mixed bismuth–lanthanide carboxylates as precursors for pure and Ln-promoted bismuth molybdate catalysts 165

Non-isothermal kinetics
Non-isothermal kinetics of reactions whose activation energy depends on the degree of conversion 75
NRTL
Analysis of the relationship between ternary mixtures and their binary subsystems as represented by the UNIQUAC and NRTL models 105

Oxide-supported ammonium vanadyl oxalate
Thermal decomposition of ammonium vanadyl oxalate supported on various oxides 115

Phase diagram
Calculation of phase diagrams for the binary systems BaF_2–KF and KF–ZrF_4 and the ternary system BaF_2–KF–ZrF_4 17
Diagram of phase equilibria in the $Fe_2V_4O_{13}$–WO_3 system 229
Polymerization
Simulations for evaluation of kinetic methods in differential scanning calorimetry. Part 1. Application to single-peak methods: Freeman–Carroll, Ellerstein, Achar–Brindley–Sharp and multiple linear regression methods 147
Pseudobinary system
Oxygen potential and phase equilibria in the Te–Sb_2O_3–Sb_2O_4 pseudoternary part of the Sb–Te–O system at elevated temperatures 29
Pseudoternary system
Oxygen potential and phase equilibria in the Te–Sb_2O_3–Sb_2O_4 pseudoternary part of the Sb–Te–O system at elevated temperatures 29

Sensitivity
A study of the sensitivity and decomposition of 1,3,5-trinitro-2-oxo-1,3,5-triazacyclohexane 201
Silicates
The effect of changing the TiO_2 content (0–6%) on the structure and thermal evolution of glasses obtained from porphyric sands and dolomite 187
Simulations
Simulations for evaluation of kinetic methods in differential scanning calorimetry. Part 1. Application to single-peak methods: Freeman–Carroll, Ellerstein, Achar–Brindley–Sharp and multiple linear regression methods 147
SiO_2–PbO–B_2O_3
Experimental studies on the transition from xerogels to glasses for the system SiO_2–PbO–B_2O_3 with added DMSO using the thermal-mass spectroscopy coupling technique 137
Sulphation
The isothermal sulphation reactions of natural sorbents 45

Ternary system
Analysis of the relationship between ternary mixtures and their binary subsystems as represented by the UNIQUAC and NRTL models 105
Tetrafluorborate
Thermal decomposition and stability in a series of tetrafluorborate copper(I) complexes 235
TG–DTA–MS
Experimental studies on the transition from xerogels to glasses for the system SiO_2–PbO–B_2O_3 with added DMSO using the thermal-mass spectroscopy coupling technique 137
Thermal analysis
Simulations for evaluation of kinetic methods in differential scanning calorimetry. Part 1. Application to single-peak methods: Freeman–Carroll, Ellerstein, Achar–Brindley–Sharp and multiple linear regression methods 147
Thermal decomposition and stability in a series of tetrafluorborate copper(I) complexes 235
Thermal decomposition
Thermal decomposition of ammonium vanadyl oxalate supported on various oxides 115
Thermal degradation
Non-isothermal kinetics of reactions whose activation energy depends on the degree of conversion 75
Thermal decomposition of 4,4′-diaminodiphenylsulphone 217
Time-dependent reactions
A comparison of different evaluation methods in modulated temperature DSC 1
Titania
The effect of changing the TiO_2 content (0–6%) on the structure and thermal evolution of

glasses obtained from porphyric sands and dolomite 187

Transition from xerogels to glasses

Experimental studies on the transition from xerogels to glasses for the system SiO_2–PbO–B_2O_3 with added DMSO using the thermal-mass spectroscopy coupling technique 137

UNIQUAC

Analysis of the relationship between ternary mixtures and their binary subsystems as represented by the uniquac and NRTL models 105

UNIQUAC model

Excess enthalpy surfaces for alkanol–alkane mixtures by the UNIQUAC model 51

Waste materials

The effect of changing the TiO_2 content (0–6%) on the structure and thermal evolution of glasses obtained from porphyric sands and dolomite 187